

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	0	("240"and"20060034363") .PN.	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 09:49	
2	IS&R	L2	0	("240"and"20060034363") .PN.	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 09:49	
3	BRS	L3	0	"240" and "20060034363"	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 09:49	
4	BRS	L4	1	parallel and "20060034363"	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 09:54	
5	BRS	L5	0	DiRAc and "20060034363"	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 09:57	
6	BRS	L6	918	(TOF or time adj2 flight) same (capacit\$4 or induct\$6)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:03	

	Error Definition	Err ors
1		
2		
3		
4		
5		
6		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	32	6 same gate\$1	US- PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:02	
8	BRS	L8	1	6 same (ISI or inter adj1 symbol\$1 or intersymbol\$1 or timing adj2 skew)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:03	
9	BRS	L9	5	(TOF or time adj2 flight) same (ISI or inter adj1 symbol\$1 or intersymbol\$1 or timing adj2 skew)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:05	
10	BRS	L10	20	(gate\$1 or "XOR" or "AND" or "OR" or exclusive adj1 "OR") same (transmit\$4 with receiv\$3 or transmission with reception or transceiver\$1) same (ISI or timing adj2 skew)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:12	

	Error Definition	Err ors
7		
8		
9		
10		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	L11	1	(plural\$3 adj2 gate\$1 or multi\$3 adj2 gate\$1 or several adj2 gate\$1 or first adj3 second adj2 gate\$1) same (channel near3 characteristic\$1 or communication near3 characteristic\$1 or channel near3 condition\$1 or communication near3 condition\$1 or channel near3 estimat\$4) same (ISI or jitter\$3 or timing near2 skew\$3 or inter adj1 symbol\$1 or intersymbol\$1)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:16	
12	BRS	L12	108	(plural\$3 adj2 gate\$1 or multi\$3 adj2 gate\$1 or several adj2 gate\$1 or first adj3 second adj2 gate\$1) same (channel near3 characteristic\$1 or communication near3 characteristic\$1 or channel near3 condition\$1 or communication near3 condition\$1 or channel near3 estimat\$4)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:18	
13	BRS	L13	1	(serdes or serial\$6 near3 deserial\$6 or "S/P" or "P/S") and 12	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:17	

	Error Definition	Err ors
11		
12		
13		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	L14	5	12 same (transmit\$4 with receiv\$3 or transmission with reception or transceiver\$1 or modem\$1)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:20	
15	BRS	L15	2	(timing near3 offset\$3) with (ISI or inter adj1 symbol\$1 or intersymbol\$1 adj2 interference or jitter) with (timing near3 skew)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:22	
16	BRS	L16	5	(timing near3 offset\$3) same (ISI or inter adj1 symbol\$1 or intersymbol\$1 adj2 interference or jitter) same (timing near3 skew)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:24	
17	BRS	L17	135	(ISI or inter adj1 symbol\$1 or intersymbol\$1 adj2 interference or jitter or inter adj1 symbol\$1) same (timing near3 skew)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:25	
18	BRS	L18	5	17 same (multipath\$1 near3 delay\$3 or propagation\$1 near3 delay\$3 or channel\$1 near3 delay\$3)	US- PGPUB ; USPAT ; EPO; JPO	2007/03/0 9 10:29	
19	BRS	L19	7	((RAJEN) near2 (MURUGAN)).INV.	US- PGPUB ; USPAT ; USOCR	2007/03/0 9 10:28	

	Error Definition	Err ors
14		
15		
16		
17		
18		
19		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	L20	6	((MICHAEL) near2 (GREIM)).INV.	US-PGPUB ; USPAT ; USOCR	2007/03/09 10:28	
21	BRS	L21	12	19 or 20	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:29	
22	BRS	L22	2	17 and 21	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:29	
23	BRS	L23	1	(jitter\$3 or ISI or inter adj1 symbol\$1 adj2 interference or intersymbol\$1) with (timing near4 skew) same (Channel adj2 impulse adj2 response or impulse adj2 response\$1 or channel near3 response\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:33	
24	BRS	L24	1	(jitter\$3 or ISI or inter adj1 symbol\$1 adj2 interference or intersymbol\$1) same (timing near4 skew) same (Channel adj2 impulse adj2 response or impulse adj2 response\$1 or channel near3 response\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:33	

	Error Definition	Err ors
20		
21		
22		
23		
24		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	L25	122	(jitter\$3 or ISI or inter adj1 symbol\$1 adj2 interference or intersymbol\$1) with (timing near4 skew)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:32	
26	BRS	L26	25	25 and (Channel adj2 impulse adj2 response or impulse adj2 response\$1 or channel near3 response\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:38	
27	BRS	L27	9	25 same(SERDES or transmit\$4 with receiv\$3 or transmission with reception or send\$3 near3 receiv\$3)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:41	
28	BRS	L28	0	25 same(transceiver\$1 or modem\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:40	
29	BRS	L29	27	25 and (transceiver\$1 or modem\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:40	
30	BRS	L30	54	25 and (SERDES or transmit\$4 with receiv\$3 or transmission with reception or send\$3 near3 receiv\$3)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:41	

	Error Definition	Err ors
25		
26		
27		
28		
29		
30		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
31	BRS	L31	31	30 not 29	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:48	
32	BRS	L32	1	(timing adj2 offset\$3) with (ISI or intersymbol\$1 near3 interference or jitter near3 interference) with (channel near3 characteristic\$1 or lossyless near3 channel\$1 or lossyness near3 channel\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:56	
33	BRS	L33	1	(timing adj2 offset\$3) with (ISI or intersymbol\$1 near3 interference or jitter near3 interference) same (channel near3 characteristic\$1 or lossyless near3 channel\$1 or lossyness near3 channel\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:56	
34	BRS	L34	2	(timing adj2 offset\$3) same (ISI or intersymbol\$1 near3 interference or jitter near3 interference) same (channel near3 characteristic\$1 or lossyless near3 channel\$1 or lossyness near3 channel\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/03/09 10:56	

	Error Definition	Err ors
31		
32		
33		
34		